

	Hits	Search Text	DBs
1	1	("6185587").PN.	USPAT; USOCR
2	1	("6154738").PN.	USPAT; USOCR
3	11	((("5625816") or ("5890147") or ("6148410") or ("6151601") or ("6182111") or ("6286038") or ("6330575") or ("6484150") or ("6519571") or ("6611834") or ("6629135"))).PN.	USPAT; USOCR
4	461	((buil\$4 or creat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	86	((((buil\$4 or creat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))) and (@ad < "20000908"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	73	((((buil\$4 or creat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))) and (@ad < "20000908")) and automatic\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	650	((buil\$4 or creat\$4 or generat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	102	((((buil\$4 or creat\$4 or generat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))) and (@ad < "20000908"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	10	((((buil\$4 or creat\$4) with web with site\$1) and ((xml or "extensible markup language") with (template\$1 or structure\$1 or arrangement\$1 or page\$1))) and (@ad < "20000908")) and (automatic\$6 with ((buil\$4 or creat\$4 or generat\$4) with web with (site\$1 or page\$1 or document\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	2	("6185587").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	3	((("6487547") or ("6691117")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	5	((("5881246") or ("6598057") or ("6631463") or ("6708187") or ("6715054")).PN.	USPAT; USOCR
13	294	((web\$1site\$1 or (web near2 site\$1)) with (wizard\$1 or creat\$5 or buil\$5 or generat\$5 or develop\$5)) and (xml or (extensible adj mark\$1up adj language\$1)) and (@ad < "20000908"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	130	S13 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	126	S14 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	24	S15 and ((modif\$5 or chang\$5 or alter\$6) with template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	19	S16 and control\$6 and database\$1 and (quer\$5 or inquir\$5 or request\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	3	S17 and (xslt or style\$1sheet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	3	S18 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	2	S19 and (dtd or (document\$1 adj type\$1 adj definition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	2	S20 and (link\$6 or hyper\$1link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
22	191	((web\$1site\$1 or (web near2 site\$1)) near3 (wizard\$1 or creat\$5 or buil\$5 or generat\$5 or develop\$5)) and (xml or (extensible adj mark\$1up adj language\$1)) and (@ad < "20000908"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	90	S22 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	90	S22 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	88	S24 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	7	S25 and (xslt or style\$1sheet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	7	S26 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	4	S27 and (dtd or (document\$1 adj type\$1 adj definition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
29	4	S28 and ((modif\$5 or chang\$5 or alter\$6) with template\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	4	S29 and (link\$6 or hyper\$1link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	2	S30 not S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	12	(web\$1site\$1 with (creat\$5 or buil\$6 or generat\$5) with wizard\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	10	(web\$1site\$1 with (creat\$5 or buil\$6 or generat\$5) with (wizard\$1 or automatic\$1)) and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	2	S33 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	2	S34 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	0	S35 and (xslt or style\$1sheet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
37	1	S35 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	1	S37 and xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	0	S38 and (dtd or (document\$1 adj type\$1 adj definition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	27	(web\$1site\$1 with (creat\$5 or buil\$6 or generat\$5) with (wizard\$1 or tool\$1 or automatic\$1)) and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	S41 and (xslt or style\$1sheet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	2	S40 and (xml and (extensible ajd mark\$1up adj language\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
43	33	((("6185587") or ("6163878") or ("6067565") or ("6078948") or ("6094654") or ("5627994") or ("5933647") or ("5958012") or ("6055525") or ("6061692") or ("6115715") or ("6119157") or ("6161125") or ("6233582") or ("6282711") or ("20020034852") or ("6327617") or ("6446071") or ("6523036") or ("6539340") or ("6654762") or ("6697852") or ("6698018") or ("6718358") or ("RE38598") or ("6049787") or ("6487594") or ("6636588") or ("5881246") or ("6598057") or ("6631463") or ("6708187") or ("6715054"))).PN.	US-PGPUB; USPAT; EPO
44	1	"RE38598"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	0	S43 AND S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	0	S44 AND S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	49111	((buil\$4 or creat\$4 or generat\$4) near4 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
48	79721	((buil\$4 or creat\$4 or generat\$4) with web\$1site\$1 or web\$1page\$1 or (web with (site\$1 or page\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	11473	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	2758	S49 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	3838	((buil\$4 or creat\$4 or generat\$4) with (web\$1site\$1 or web\$1page\$1 or (web with (site\$1 or page\$1))) with (automatic\$5 or dynamic\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	1375	S47 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	202	((special\$1purpose\$1 or (special near4 purpose\$1)) near4 (operating adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	1	S53 and S55	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1375	S47 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
56	424	S57 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	34	S58 and ((special or custom\$4 or tailor\$2) near5 (operating adj system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	34	S59 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	32	S60 and xml\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	32	S61 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	0	S62 and (xslt or (extensible adj style\$1sheet adj language adj transformation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	31	S62 and (dtd or (document adj type adj definition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	31	S64 and browser\$1 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
64	31	S65 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	31	S66 and local	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	31	S47 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	29026	((buil\$4 or creat\$4 or generat\$4) near2 database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	7715	S69 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	1917	S70 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	2	S71 and (xslt or (extensible adj style\$1sheet adj language adj transformation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	16783	((buil\$4 or creat\$4 or generat\$4) near database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
72	7021	S73 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	9239	((buil\$4 or creat\$4 or generat\$4) adj database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	3850	S75 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	638	S76 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	91	S77 and xml\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	86	S79 and browser\$1 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
78	60	S80 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	0	S81 and (xslt or (extensible adj style\$1sheet adj language adj transformation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
80	35	S81 and (dtd or (document adj type adj definition\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	0	((buil\$4 or creat\$4 or generat\$4) adj database\$1) with ("prior" or "before") with ((buil\$4 or creat\$4 or generat\$4) adj (object\$1 or item\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	9	((buil\$4 or creat\$4 or generat\$4) adj database\$1) with ("prior" or "before") with ((buil\$4 or creat\$4 or generat\$4) near4 (object\$1 or item\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	5	S86 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	287	((creat\$4 or generat\$4) adj database\$1).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	156	S88 and (@ad < "20000908")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	17171	((creat\$4 or generat\$4) adj (object\$1 or item\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
87	3	S89 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	1	("6789252").PN.	USPAT
89	7698	((creat\$4 or generat\$4) adj database\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	0	S92 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	1	("20030120659").PN.	US-PGPUB
92	2	("5619708").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	194	((web\$1site\$1 or (web near2 site\$1)) near3 (wizard\$1 or creat\$5 or buil\$5 or generat\$5 or develop\$5)) and (xml or (extensible adj mark\$1up adj language\$1)) and (@ad < "20000908"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	90	S97 and template\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	88	S98 and interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
96	7	S99 and (xslt or style\$1sheet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB